



















27. Garti N, Aserin A, Tiunova I, Fanun M. A DSC study of water behavior in water-in-oil microemulsions stabilized by sucrose esters and butanol. *Colloids Surf Physicochem Eng Aspects* 2000;170(1):1-18. doi: 10.1016/S0927-7757(00)00486-6
28. Dong X, Ke X, Liao Z. The microstructure characterization of meloxicam microemulsion and its influence on the solubilization capacity. *Drug Dev Ind Pharm* 2011;37(8):894-900. doi: 10.3109/03639045.2010.548067
29. Zhang J, Michniak-Kohn B. Investigation of microemulsion microstructures and their relationship to transdermal permeation of model drugs: Ketoprofen, lidocaine, and caffeine. *Int J Pharm* 2011;421(1):34-44. doi: 10.1016/j.ijpharm.2011.09.014
30. Luzzati V, Mustacchi H, Skoulios A, Husson F. La structure des colloïdes d'association. I. Les phases liquide-cristallines des systèmes amphiphile-eau. *Acta Cryst* 1960;13:660-7. doi: 10.1107/S0365110X60001564
31. Mueller-Goymann CC. Liquid crystals in drug delivery. In: Swarbrick J, Boylan JC, editors. *Encyclopedia of Pharmaceutical Technology*. New York: Marcel Dekker Inc; 2002. P. 834-53.
32. Fontell K, Mandell L, Ekwall P. Some isotropic mesophases in systems containing amphiphilic compounds. *Acta Chem Scand* 1968;22(10):3209-23. doi: 10.3891/acta.chem.scand.22-3209
33. Bunjes H, Rades T. Thermotropic liquid crystalline drugs. *J Pharm Pharmacol* 2005;57(7):807-16. doi: 10.1211/0022357056208
34. Raman IA, Suhaimi H, Tiddy GJ. Liquid crystals and microemulsions formed by mixtures of a nonionic surfactant with palm oil and its derivatives. *Adv Colloid Interface Sci* 2003;106:109-27. doi: 10.1016/S0001-8686(03)00107-6
35. Strey R. Microemulsion microstructure and interfacial curvature. *Colloid Polym Sci* 1994;272(8):1005-19. doi: 10.1007/BF00658900
36. Omay LK. Liquid Crystals as Novel Vesicular Delivery System: A Review. *Curr Trends Technol Sci* 2013;2(6):347-51.
37. Yaghmur A, Glatter O. Characterization and potential applications of nanostructured aqueous dispersions. *Adv Colloid Interface Sci* 2009;147-148:333-42. doi: 10.1016/j.cis.2008.07.007
38. Sagalowicz L, Leser ME, Watzke HJ, Michel M. Monoglyceride self-assembly structures as delivery vehicles. *Trends Food Sci Technol* 2006;17(5):204-14. doi: 10.1016/j.tifs.2005.12.012
39. Salimi A, Hedayatipour N, Moghimipour E. The Effect of Various Vehicle on the Naproxen Permeability through Rat Skin: A Mechanistic Study by DSC and FT-IR Techniques. *Adv Pharm Bull* 2016;6(1):9-16. doi: 10.5171/apb.2016.003
40. Leanpolchareanchai P, Panchan K, Falson F, Bavovada R, Pithayanukul M. Microemulsion system for topical delivery of the mango seed kernel extract: Development, physicochemical characterisation and ex vivo skin permeation studies. *Molecules* 2014;19(11):17107-29. doi: 10.3390/molecules191117107
41. Moghimipour E, Salimi A, Eftekhari S. Design and Characterization of Microemulsion Systems for Naproxen. *Adv Pharm Bull* 2013;3(1):63-71. doi: 10.5681/apb.2013.011
42. Salimi A, Sharif Makhmal Zadeh B, Moghimipour E. Preparation and Characterization of Cyanocobalamin (Vit B12) Microemulsion Properties and Structure for Topical and Transdermal Application. *Iran J Basic Med Sci* 2013;16(7):865-72. doi: 10.22038/ijbms.2013.1126